

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL LABORATORY, NAGPUR

Phone no. : 0712-2557231
Visit us at : <http://mpcb.gov.in>
mail : mpcbnagpurlab@mpcb.gov.in



Regional Laboratory, Nagpur,
Maharashtra Pollution Control
Board, 6th Floor Udyog Bhavan,
Civil Lines, Nagpur 440001

NABL Certificate No.:	Validity
-----------------------	----------

Laboratory MoEF Recognition :	Validity
-------------------------------	----------

Test Report No.: MPCB/RL-Nagpur/JVS/23-24/01/63	Date: 30/01/2024 11:16 AM
---	---------------------------

Analysis Report-Water (JVS)

Field Sample ID :	BR-0062147		
Name & Address of the Industry	Inventys Research Company Private Limited R22 Organic Chemicals manufacturing		
Sampling Location :	ETP (Inlet)		
Lab code :	MPCB/RL-Nagpur/JVS/23-24/624		
Sampling Method(s) :		Sample Details (Water/Air/HW) :	Water
Sampling drawn by (Officer name):	FO-Nagpur II (Shri. Vinod Shukla)	Sample Volume Received :	
Sample submitted by (Name) :	FO-Nagpur II (Shri. Vinod Shukla) (SRO-Nagpur II)	Seal No. :	163
Date of Sample Collection.(dd/mm/yyyy) :	31/12/2023 03:15 PM	Date of Sample receipt to Laboratory (dd/mm/yyyy) :	01/01/2024 05:52 PM
Analysis start Date (dd/mm/yyyy). :	02/01/2024 10:49 AM	Analysis end Date (dd/mm/yyyy). :	30/01/2024 11:16 AM

Test Report

Sr.No	Parameter	Results	Unit	Method Adopted
1	pH	7.9		
2	Total Dissolved Solids(TDS)	2238.0	mg/l	
3	Suspended Solids (SS)	136.0	mg/l	
4	Ammonical Nitrogen	4.05	mg/l	
5	Biochemical Oxygen Demand (BOD)	136.0	mg/l	

Sr.No	Parameter	Results	Unit	Method Adopted
6	Chloride	93.97	mg/l	
7	Chemical Oxygen Demand (COD)	384.0	mg/l	
8	Cyanide	ND	mg/l	
9	Phosphate (total)	1.30	mg/l	
10	Sulphate	850.00	mg/l	
11	Sulphide	1.92	mg/l	
12	Arsenic	NA	mg/l	
13	Chromium Hexavalent	ND	mg/l	
14	Lead	ND	mg/l	
15	Mercury (Processing & Analysis)	ND	mg/l	
16	Oil & Grease	3.4	mg/l	
17	Phenol	1.00	mg/l	

Abbreviations: - BDL=Below Detectable limit, N.D.=Not Detected, N.A.= Not Analyzed, * Not covered under NABL scop.

Comment (if any):

Comment for Amended Report:

Remark: - Note: This test report refers only to the sample submitted for the testing.

Results Compiled by: Suresh Mali

Results Approved by: Suresh Mali

Results Reviewed by: Suresh Mali

This is an Electronically generated report does not require signature

Note :

- 1 . Results relate only to the sample/s tested, only in case of samples submitted by customer & not drawn by MPCB.
2. Samples will be preserved for a period 10 days from the delivery of Test Certificate.
3. Customer complaint register is available at laboratory.
4. The Contents of this Report shall not be reproduced in part or in full without written approval of laboratory.
5. MU values will be reported on request.

Suresh Mali
Scientific Officer,
I/c Regional Laboratory,
Nagpur,

End of The Report